

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits  | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|-------|--|---|------------------|---------|---------------------|
| L2    | 4636  | 348/37\$1.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ              | ON      | 2010/11/19<br>16:13 |
| L3    | 34084 | (helmet or headgear or head or headcam) with (camera or display) with (mount\$3 or attach\$3 or coupling or connect \$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ              | ON      | 2010/11/19<br>16:15 |
| L4    | 313   | 3 and 2  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ              | ON      | 2010/11/19<br>16:15 |
| L5    | 9     | helmet with detachable with display  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ              | ON      | 2010/11/19<br>17:16 |
| L6    | 11    | helmet with detachable with display  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ              | ON      | 2010/11/19<br>17:16 |
| L8    | 2     | "4953766".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR             | ON      | 2010/11/19<br>19:41 |
| S1    | 1     | "10538773".rlan. or ("10".src. and "538773".ap.)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ              | ON      | 2009/07/24<br>10:40 |
| S2    | 2     | "6255650".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ              | ON      | 2009/08/24<br>09:18 |

|     |      |   |  |     |    |                     |
|-----|------|---|--|-----|----|---------------------|
| S3  | 2    | "5949582".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>09:19 |
| S4  | 0    | (helmet or headgear or head or headcam) with camera and (mount \$3 or assembly or harness) with (clip or detach\$4 or anchor\$3) with edge with helmet                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>09:37 |
| S5  | 3    | (helmet or headgear or head or headcam) with camera and (mount \$3 or assembly or harness or structure) with (clip or detach\$4 or anchor\$3) with (edge or rear) with helmet | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>09:38 |
| S6  | 2    | 10/710754.app.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>09:40 |
| S7  | 1    | 10/024140.app.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>09:41 |
| S8  | 3314 | (helmet or headgear or head or headcam) with mount with camera  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:27 |
| S9  | 1    | mirror same (stereoscopic or 3D) and multiple cameras and S8  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:32 |
| S10 | 82   | (helmet or headgear or headcam) with mount with camera  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:34 |
| S11 | 0    | mirror same (stereoscopic or 3D) and S10  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:34 |

|     |     |   |  |     |    |                     |
|-----|-----|---|--|-----|----|---------------------|
| S12 | 21  | mirror and S10  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:34 |
| S13 | 0   | (motoriz\$2 or auto)<br>with mirror and<br>S12                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:38 |
| S14 | 3   | (motoriz\$2 or auto<br>or servo or moving<br>or turning) with<br>mirror and S12 | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:42 |
| S15 | 914 | camera and<br>(motoriz\$2 or<br>servo) with mirror                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:43 |
| S16 | 531 | (surveillance or<br>monitor or military<br>or fire) and S15                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:45 |
| S17 | 138 | (military or fire)<br>and S15   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:45 |
| S18 | 137 | (multiple or widen<br>or panoramic) with<br>(view or angle) and<br>S15          | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:47 |
| S19 | 116 | S16 and S18   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:47 |
| S20 | 27  | S17 and S18   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:47 |
| S21 | 1   | pip and S20   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>10:55 |
| S22 | 7   | pip and S15   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>11:10 |
| S23 | 2   | galvanometer and<br>S20   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT | ADJ | ON | 2009/08/24<br>11:36 |

|     |     |   |   |     |     |                     |
|-----|-----|---|---|-----|-----|---------------------|
| S24 | 27  | galvanometer<br>same mirror and<br>S8   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ | ON  | 2009/08/24<br>11:37 |
| S25 | 660 | camera and<br>galvanometer<br>same mirror and<br>shutter  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ | ON  | 2009/08/24<br>11:40 |
| S26 | 279 | (surveillance or<br>monitoring or<br>military or fire) and<br>S25   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ | ON  | 2009/08/24<br>11:41 |
| S27 | 159 | (stereoscopic or 3D<br>or "3"?D) and S26  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2009/08/24<br>11:43 |
| S28 | 23  | (plurality or<br>multiple) with<br>cameras and S27  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/24<br>11:46 |
| S29 | 18  | stereoscopic and<br>S26   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2009/08/24<br>11:47 |
| S30 | 10  | (plurality or<br>multiple) with<br>cameras and visible<br>with (spectrum or<br>frequenc\$3) and<br>infrared with<br>(spectrum or<br>frequenc\$3) and<br>intensifier and<br>spectral | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/24<br>11:55 |
| S31 | 12  | cameras and magic<br>lantern  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/24<br>12:13 |

|     |     |   |   |     |     |                     |
|-----|-----|---|---|-----|-----|---------------------|
| S32 | 383 | camera and (filter \$3 or splitter) with (divid\$3 or break\$3 or separat\$3) with spectral with (component or frequenc\$3) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2009/08/24<br>12:22 |
| S33 | 2   | S32 and S30   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2009/08/24<br>12:22 |
| S34 | 48  | visible with (spectrum or frequenc\$3) and infrared with (spectrum or frequenc\$3) and S32                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/24<br>12:24 |
| S35 | 735 | cameras with perpendicular and (spectrum or frequenc\$3) with (filter\$3 or splitter)                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2009/08/24<br>12:42 |
| S36 | 88  | visible with (spectrum or frequenc\$3) and infrared with (spectrum or frequenc\$3) and S35                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | OFF | 2009/08/24<br>12:42 |
| S37 | 89  | (helmet or headgear or headcam) with mount with camera  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ | ON  | 2010/03/25<br>18:52 |
| S38 | 455 | (helmet or headgear or headcam) with (mount\$3 or atach \$4 or strap\$4) with camera  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ | ON  | 2010/03/25<br>19:07 |
| S39 | 366 | S38 not S37   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ | ON  | 2010/03/25<br>19:07 |

|     |      |  |   |      |    |                     |
|-----|------|--|---|------|----|---------------------|
| S41 | 19   | (protect\$3 or shield \$3) with (wire or cable) and S38  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ  | ON | 2010/03/25<br>19:22 |
| S42 | 542  | (helmet or headgear or headcam) with (mount\$3 or attach \$4 or strap\$4) with camera  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ  | ON | 2010/03/25<br>19:36 |
| S43 | 87   | S42 not S38  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ  | ON | 2010/03/25<br>19:36 |
| S44 | 396  | (helmet or headgear or headcam) with (mount\$3 or attachment) with adjustable  | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ  | ON | 2010/03/25<br>20:54 |
| S45 | 41   | camera and S44   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | ADJ  | ON | 2010/03/25<br>20:55 |
| S46 | 2393 | (helmet or headgear or headcam) with (remov\$5 or detach \$4 or attach\$4 or snap\$3 or separat \$3) with (mount\$3 or camera)                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ  | ON | 2010/11/08<br>22:32 |
| S47 | 90   | (helmet or headgear or headcam) with (remov\$5 or detach \$4 or attach\$4 or snap\$3 or separat \$3) with (mount\$3 or element or structure) with camera | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ  | ON | 2010/11/08<br>22:33 |
| S48 | 30   | ("6456261").URPN.  | USPAT   | NEAR | ON | 2010/11/08<br>22:46 |

11/19/2010 10:13:12 PM

C:\Documents and Settings\rtorrente\My Documents\EAST\Workspaces\10 Series Cases  
\10538773 Search.wsp